# KEENAN STRUCTURAL SLATE COMPANY BANGOR, PA.



SANITARY SLATE FIXTURES



#### Digitized by

The Association for Preservation Technology International

For the

Building Technology Heritage Library

http://archive.org/details/buildingtechnologyheritagelibrary





### GENUINE BANGOR SANITARY SLATE FIXTURES



Catalog B

Keenan Structural Slate Company, Inc. Bangor, Penna., U. S. A.

#### CATALOG B

COPYRIGHT 1910
BY
KEENAN STRUCTURAL SLATE CO., INC.

### Introduction

THIS CATALOG is presented in the belief that we will have your appreciation of our efforts to compile a book illustrating all that is best in sanitary slate fixtures, something never attempted before.

All slate furnished by us is quarried from the famous Genuine Bangor Vein, and has no superior as to its unfading color, strength and durability, and is manufactured in our own mills, which are the most modern and best equipped in the world.

Brass work shown is made up in our brass foundry. Entire fixtures being set up, carefully drilled, fitted and adjusted before shipment, thus insuring a satisfactory job in every respect.

The guaranty under which "Keenan" goods are sold is full and absolute

Every fixture has our freedom from annoyances non-guaranteed or infer-



thereon which assures unavoidable through use of ior brands.

### Special Notices

- **Ordering:** Give plate number and all details according to catalog description, thus saving time, correspondence and avoiding confusion.
- **Specifications:** Orders for goods not standard should be explicit and complete and, when possible, accompanied by sketch.
- **Orders:** Are promptly and carefully executed. They cannot be cancelled without our consent; this is especially true of goods other than standard.
- **Routing:** Definite instructions as to routes, etc., should accompany each order; otherwise the route is optional with us.
- **Responsibility:** As questions constantly arise regarding responsibility of shippers, carriers and consignee, for loss of and damage to goods, etc. in transit, and in order to obviate lengthy correspondence concerning same, we beg to call special attention to the following:

Our responsibility ceases as soon as goods are delivered in good order and condition to the railroad company and receipt therefor taken. If carriers insist on our signing a release or other document having reference to their liability, in order to secure lowest possible freight rates or otherwise, before they receive goods, we will comply unless instructed differently when order is placed with us. This, however, does not affect the right of the consignee to recover damages for any carelessness or negligence on part of carrier.

**Returning Goods:** They will not be accepted by us, unless arrangements for such return have been previously made by correspondence. Parties returning goods must be responsible for safe delivery and, unless otherwise agreed, pay all shipping expenses.

**Prices:** All prices f. o. b. Bangor properly crated for shipment. Positively no freight allowances unless specifically agreed upon. Destroy all previous sheets or editions of our catalog.

Terms: Two per cent. for cash in ten days from date of invoice, net cash thirty days.

**Suggestions:** We are always glad to receive same, whether for new designs and fittings, or the improvement of existing ones. Whatever advantages we possess are the common property of our clients and a part of our good will. It is a real pleasure to be of service to our patrons. Correspondence is solicited on subjects of mutual interest.

Blue Prints: Any fixture shown herein we will be pleased to furnish blue prints of or make up for special fixtures from pencil sketches and description.

Weight: The estimated weight of slate, properly crated for shipment, is 16 pounds to the square foot, I inch thick. Other thicknesses in proportion.

Respectfully submitted,

Keenan Structural Slate Co., Inc.

# The Varied Uses of Slate Manufactured by Keenan Structural Slate Co.

Slate is used for a variety of purposes, where its non-combustibility, durability, cleanliness and absolute non-absorption make it invaluable. The following is a partial list:

Interior Finish of Buildings	Sanitary Slate	Industrial	Household
Steps	Urinals	Vats and Tanks of all Sorts	Refrigerator Shelves
Risers	Shower Stalls	for Dye Works	Cupboard Shelves
Platforms	Bath-room Partitions	Chemical Works	Pantry Shelves
Floor Tile	Morgue Slabs	Dairies	Shelving of all sorts
Wainscoting	Operating Tables	Bottling Establishments	Pastry Boards
Vestibule Panels	Germ-proof Flooring	Canneries	Table Tops
Base	Mausoleums	Soda Fountains	Kitchen Sinks
Dowels	Grave Vaults	Slaughterhouses	Wash Tubs
Lintels	Grave Covers	Bakeries	Sink Tops
Window Sills	Grave Markers	Florists	Lavatory Tops
Coping	Cistern Covers	Tanneries	, .
Tiling	Feed and Water	Electric Switch Boards	Educational
Mantels	Troughs	Fish Tanks	Blackboards
Fire Boards	Oyster Troughs	Aquarium Bottoms, Etc.	Bulletin Boards

#### Genuine Bangor Slate Urinal Stalls

#### B-1

B-I includes 3-Stall Slate Urinal with 1-inch Ends and Partitions finished both sides; 1-inch Back finished one side; 7-inch Capping covering working space for connections, and 2-inch Countersunk Base, fitted with Nickel Plated

Brass Clamps as shown.

Dimensions of Stalls—Height, 5 feet or 5 feet 6 inches; Width from center to center of Partitions, 2 feet; Depth of Partitions, I foot 8 inches; of Ends, 2 feet 2 inches. Base projects 2 inches in front of Ends and Partitions. 6-inch space allowed at back for connections. Prices complete as described for Slate with


necessary brass angles, clamps and bolts

Height	5 ft.	5 ft. 6 in.
3-Stall complete as de-	\$47.50	\$51.50
For each additional Stall (continuous), add	13.00	14.00
If less than three Stalls are required, deduct for each Stall	13.00	14.00
Special sizes to order	on short	notice.

required for erecting only.



### Genuine Bangor Slate Urinal Stalls



#### B-2

B-2 includes 3-Stall Slate Urinal with 1-inch Partitions finished both sides; 1-inch Back finished one side and 2-inch thick Countersunk Base.

Dimensions of Stalls—Height, 5 feet or 5 feet 6 inches; Width from center to center of Partitions, 2 feet; Depth of Partitions, 1 foot 10 inches; Base, 2 feet wide. Standards supporting Partitions, 12 inches high; Standards for Top Railing, 12 inches high.

Prices upon application.

B-2 can be furnished any special size to order, also with space behind back for connecting pipes, as shown by B-1.

### B-3 Genuine Bangor Slate Urinal Stalls

B-3 includes 3-Stall Slate Urinal with I-inch Partitions finished both sides, I-inch Back finished one side, 7-inch Capping covering working space for connections, and 2-inch Countersunk Floor with Nickel Plated Brass Strainer and Coupling, all supported by heavy Nickel Plated Brass Standards and Clamps as shown.

Dimensions of Stalls—Height, 5 feet or 5 feet 6 inches. Width from center to center of Partitions, 2 feet; Depth of Partitions, 1 foot 8 inches; Ends, 2 feet 2 inches. Standards supporting Partitions 12 inches high. Base projects 2 inches in front of Partitions. 6-inch space allowed at back for connections.

Prices complete as described for Slate with necessary brass clamps and standards required for erecting only.

Α.		0
Height	5 ft.	5 feet 6 in.
3-Stall Urinal complete as above described }	\$62.50	\$65.50
For each additional Stall \(\) (continuous), add	15.50	16.50
If less than three stalls are required, deduct for each stall	15.50	16.50
Special sizes to orde	er on short	notice



### Genuine Bangor Slate Urinal Stalls

#### B-4



B-4 includes 3-Stall Slate Urinal with 1-inch Ends and Partitions finished both sides, 1-inch Back finished one side, 2-inch Base fitted with 6-inch Galvanized or Enameled Iron Gutter with Waste Outlet at either end fitted for connection with 2-inch cast iron pipe. Nickel Plated Brass Clamps, Angles and Standards, 3/4-inch iron pipe size Perforated Washdown Pipe with Loose-Key Stop-cock. Standards supporting Partitions 12 inches high.

Dimensions of Stalls—Height, 4 ft. 6 in. or 5 ft. Width center to center of Partitions, I ft. 8 in. Depth of Ends and Partitions, I ft. 8 in. Prices complete as shown.

Height	Galvanized Ir 4 ft. 6 in.	on Gutter 5 ft. \$66.00	For Enameled Iron Gutter add \$5.25
For each additional Stall (continuous), add	20.50	21.50	1.25
If less than three stalls are required, deduct for each stall	20.50	21.50	1.25

B-4 can be furnished 24 inches on center of Partitions, if desired; or with gutter cut in slate floor with bee-hive strainer.

Note—In ordering be sure to give location of Outlet, whether right or left hand end.

### Special Single Ventilated Slate Urinals

For Schools and Public Buildings

Special Single Ventilated Slate Urinal with Partitions, Back, Cap, Slate Gutter and Floor Slab; Floor Slab Grooved. Nickel Plated Standing Waste, Perforated Washdown Pipe with Loose-key Stop-cock, Partition Braces and Vent Collar. Dimensions of Stalls-Height, 4 feet 6 inches or 5 feet; Width, 24 inches, center to center, depth Ends, 2 feet, 4 inches; Partitions, 1 foot 2 inches; thickness, Ends, Partitions, Cap and Back, I inch; Manhole Cover, 11/4 inches; Floor Slab, 2 inches; Gutter, 6 inches. In ordering give location of waste.

Number of Stalls	I	2	3
Price complete as described 4′ 6″ high	\$55.00 \$57.00	\$83.00	\$111.00
Number of Stalls	4	5	6
Price complete as described 4' 6" high Price complete as described 5' 0" high	\$139.00 \$144.00	\$167.00 \$173.00	\$195.00 \$202.00


Special Sizes will be made if requested

Special Single Ventilated Urinals were designed by one of the leading Sanitary Engineers, and meet every demand for perfect Sanitation. These Urinals commend themselves to every Architect, Sanitary Engineer, etc., for their ventilating effect upon the entire room. Through an opening near the urinal floor a constant flow of air passes into the air space behind the back, and out at the top through a vent flue. (See crosssection above.) By connecting it with a warm-air flue or chimney an efficient draught is generated. The entire surface of the back slabs is constantly flushed from a perforated brass wash-down pipe fitted with a loose-key stap-cock to regulate the flow of water, reducing it to a minimum. Special attention is invited to the gutter, made from a solid block of slate, and filled with a constantly changing body of water, 3 inches deep.


A standing waste siphons the gutter periodically. When flushing out the toilet-room the surplus water can be disposed of by

simply unscrewing the cap of the waste. A manhole at end of urinal gives ready access to the gutter and its connections.

Every stall sent out is set up and carefully adjusted before leaving our factory.



Page Eleven



Special Single Ventilated Slate Urinals

For Schools and Public Buildings

B-5½

Special Single Ventilated Slate Urinal with Partitions, Back, Overflow Flushing Box, Floor and solid slate Waste Trough extending under slate cover at end, with 3-inch Nickel Plated removable Standing Overflow; Partition Braces with supply pipe holders; 11/4-inch Galvanized Iron Supply Pipe with Brass Pet Cocks and supporting Standards under Back.

Dimensions of Stalls-Height, 5 feet; Width, 2 feet center to center of Partitions; Depth of Ends I foot 8 inches; Partitions, I foot 2 inches; Thickness of Partitions, Back and Ends, 1 inch; Floor, 2 inches; Waste Trough, 6 inches.

Number of Stalls	\$67.00	\$104.00	\$142.00
Number of Stalls	\$180.00	\$218.00	6 \$255.00

Special Single Ventilated Slate Urinals are a thoroughly sanitary fixture (note cross section above showing detail of operation). The water is fed into an Overflow Flushing Box, from which it overflows through serrations at top and forms a continuous sheet on the Back, falling into the Waste Trough at Floor. The Standing Overflow in the Waste Trough holds the water to a depth of 2 inches, and acts as a deodorizer. The air space at the back of Urinal is connected with a ventilating flue, thus causing a constant draught from the Urinal Trough into the ventilating flue, not only ventilating the Urinal but the entire room.

KEENAN STRUCTURAL SLATE COMPANY, Incorporated, BANGOR, PA.

### Special Double Ventilated Slate Urinals

For Schools and Public Buildings

Special Double Ventilated Slate Urinals are favorite types with United States Government for barracks, etc. Should be erected well out toward the middle of the room allowing free access of air from all parts. Slate Partitions, Backs, Caps, Gutter and Grooved Floor Slabs, Nickel Plated Standing Wastes, Perforated Washdown Pipes with Loose-key Stop-cock, Partition Braces and Vent Collar.

Dimensions of Stalts—Height, 4 feet 6 inches, or 5 feet; Width, 2 feet, center to center; Depth. ends, 4 feet 3 inches; Partitions, I foot 2 inches; Thickness, Ends, Partitions, Cap and Backs, I inch; Manhole Cover, 1½ inch; Floor Slabs, 2 inches; Gutter, 6 inches, In ordering give

Number of Double Stalls Price complete	I		2	-	3	
as described 4' 6" high Price complete	\$94	00	\$144	00	\$194	00
as described 5'	97	00	148	00	199	00
Number of Double Stalls Price complete	4		5		6	
as described 4' 6" high Price complete as described 5'	\$244	00	\$294	00	\$344	00
o" high	250	00	301	00	352	00

Special sizes will be made if requested.


Special Double Ventilated Urinals were designed by one of the leading Sanitary Engineers, and meet every demand for perfect sanitation. These Urinals commend themselves to every Architect, Sanitary Engineer, etc., for their ventilating effect upon the entire room. Through an opening near the urinal floor a constant flow of air passes into the air space behind the back, and out at the top through a vent flue. (See cross section above.) By connecting it with a warm air flue or chimney an efficient draught is generated. The entire surface of the back slabs is constantly flushed from a perforated brass Wash-down Pipe fitted with a Loose-key Stop-cock to regulate the flow of water, reducing it to a minimum. Special attention is invited to the gutter, made from a solid block of slate, and filled with a constantly changing body of water, a inches deep.

A standing waste siphons the gutter periodically. When flushing out the toilet-room the surplus water can be disposed of by simply unscrewing cap of the waste. A manhole at end of urinal gives ready access to the gutter and its connections.

simply unscrewing cap of the waste. A manhole at end of urinal gives ready access to the gutter and its connections.

Every stall sent out is set up and carefully adjusted before leaving our factory.


Page Thirteen





#### Special Double Ventilated Slate Urinals

For Schools and Public Buildings



B-61/2

Special Double Ventilated Slate Urinal with Partitions, Backs, Overflow Flushing Box, Floors and solid slate Waste Trough extending under slate cover at end, with 3-inch Nickel Plated removable Standing Overflow, Partition Braces with supply-pipe holders, 1¼ inch Galvanized Iron Supply Pipe with Brass Pet Cocks and supporting Stradards Cocks and supporting Standards under back.

Dimensions of Stalls-Height, feet; Width, 2 feet center to center of Partitions; Depth, End Partitions, 2 feet 10 inches; Center Partitions, 1 foot 2 inches; Thickness of Partitions, Backs and Ends, I inch; Floors, 2 inches: Waste Trough, 6 inches.

Number of Double Stalls Price complete as described	1 \$120.00	\$178.00	\$234.00
Number of Double Stalls	\$290.00	5	6
Price complete as described		\$350.00	\$408.00

Special Double Ventilated Slate Urinals are a thoroughly sanitary fixture (note cross section above showing detail of operation). The water is fed into an overflow Flushing Box, from which it overflows through serrations at top and forms a continuous sheet on the Backs, falling into the Waste Trough at Floor. The Standing Overflow in the Waste Trough holds the water to a depth of 2 inches and acts as a deodorizer. The air spaces between the Backs of Urinal are connected with a ventilating flue, thus causing a constant draught from the Urinal Trough into the Ventilating Flue, not only ventilating the Urinal but the entire room.

Every Stall sent out is set up and carefully adjusted before leaving our factory.

Page Fourteen

#### Genuine Bangor Slate Urinal Stalls

#### B-7

B-7 includes 3-Stall Slate Urinal with I-inch Ends and Partitions finished both sides; I-inch Back finished one side; 2-inch Countersunk Base with gutter sunk in same at back for draining to center or either end. Brass Beehive Strainer with coupling and Nickel Plated Brass Perforated Washdown Pipe with Loose-key Stop-cock. Ends and Partitions supported by Nickel Plated Brass Clamps.

Dimensions of Stalls—Height, 5 feet; Width from center to center of Partitions, 2 feet; Depth, 1 foot 8 inches.

Prices complete as shown.

B-7 can be furnished any special size to order on short notice.

Note:—In ordering specify whether outlet is wanted in center or at end, and if at end, which.


Every Stall sent out is set up and carefully adjusted before leaving our factory.



Page Fifteen

### Genuine Bangor Slate Ventilated Urinals for Schools and Public Buildings





B-8

Ventilated Slate Urinals with Partitions, Back, Cap, Floor Slab and Gutter. Nickel Plated Waste, Perforated Wash-down Pipe with Loose-key Stop-cock, Partition Braces and Vent Collar.

Dimensions of Stalls—Height, 4 feet 6 inches or 5 feet; Width, 2 feet center to center; Depth: Ends, 2 feet 4 inches, Partitions, I foot 6 inches; Thickness: Partitions, Back and Cap, I inch; Floor Slab, I<sup>1</sup>/<sub>4</sub> inch; Gutter, 3 inches. In ordering give location of waste.

Number of Stalls	I	2	3	4	5	6
4 feet 6 inches high Price complete as described,	\$14.00	\$68.00	\$92.00	\$116.00	\$140.00	\$164.00
5 feet high	46.00	72.00	98.00	124.00	150.00	176.00

Special Sizes will be made if requested.

B-8 consists of all the features of ventilation comprised in our Special B-5 and B-6 Ventilated Urinals excepting the Gutter which does not provide for standing water, but disposes of the same as it washes down the back by means of a Gutter at back and wasting through Bell Trap in Gutter.

#### Genuine Bangor Slate Urinal Stalls


#### B-9

B-9 includes 3-Stall Slate Urinal with 1-inch Ends and Partitions finished both sides; 1-inch Back finished one side; 2-inch Countersunk Base with Nickel Plated Brass Strainer and Coupling; Nickel Plated Brass Standards 12 inches high for center Partitions and Nickel Plated Brass Angles and Clamps for supporting Ends and Partitions in place.

Dimensions of Stalls—Height, 5 feet; Width from center to center of Partitions, 2 feet; Depth of Ends and Partitions, 1 foot 8 inches. Base projects 2 inches at front of Ends and Partitions.

Prices complete as described for Slate with necessary brass clamps, angles, standard and strainer required for erecting only.

B-9 can be furnished special sizes; also with space behind back for connecting pipes, as shown in B-3.



### Genuine Bangor Slate Urinals for Schools and Public Buildings



B-10

B-10 includes Slate Urinal with two 1-inch Slate Ends, finished both sides; 1-inch Slate Back; 2-inch Countersunk Base, with separate Slate Gutter (see sectional cut) with Brass Gutter Strainer in center or at either end as desired. Nickel Plated Perforated Washdown Pipe with Loose-key Stop-cock.

Held in position with Heavy Nickel Plated Brass Angles and Clamps.

Dimensions—Height, 4 feet 6 inches or 5 feet; Depth, 1 foot 8 inches, and made up in any length desired.

Note—This Urinal is especially adapted for school purposes. The Gutter arrangement is particularly commended for sanitary reasons. It is so made that the Back and Base of Urinal extend slightly over the edges,

compelling all wash and drip to fall directly into the Gutter. It being slate makes it far superior to any metal Gutter, as it is absolutely non-absorbent and cannot rust or corrode.

In ordering be sure to give location of Outlet and Supply, whether right or left hand end.



Section showing Slate Gutter

### Genuine Bangor Slate Urinals for Schools and Public Buildings

B-10 1/2

B-10½ Urinal is made with either Galvanized or Enameled Iron Gutter and 1¼-inch thick Floor Slab as shown or with Gutter cut in Floor Slab made of 2-inch thick slate. Ends and Back, 1 inch thick; Ends finished both sides, Back one side. Furnished with Nickel Plated Brass Perforated Washdown Pipe with Loose-key Stop-cock and heavy Nickel Plated Brass Angles for supporting in position.

Dimensions—Height, 4 feet 6 inches or 5 feet; Depth, 1 foot 8 inches with Galvanized Cast Iron Gutter as shown.

Length	4 feet	6 feet	8 feet	10 feet	12 feet
Price complete as shown 4 feet					
6 inches high with Galvan-					
ized Cast Iron Gutter	\$37.50	\$51.00	\$64.50	\$78.00	\$91.50
Price complete as shown 5 feet					
high with Galvanized Cast					_
Iron Gutter	42.00	56.00	70.00	84.00	98.00

If Enameled Iron Gutter is desired instead of Galvanized, add for first 4 feet, \$4.50, and for each additional 2 feet, \$1.50.


Dimensions—Height, 4 feet 6 inches or 5 feet; Depth, 1 foot 8 inches made with slate floor 2 inches thick with Gutter cut therein and furnished with Brass Bee Hive Strainer.

Length	4 feet	6 feet	8 feet	10 feet	12 feet
Price complete as shown 4 feet					
6 inches high with 2-inch					
thick Floor and Gutter cut					
therein	\$36.00	\$47.50	\$59.00	\$70.50	\$82.00
Price complete as shown 5 feet					
high with 2-inch thick Floor					
and Gutter cut therein	37.50	49.50	61.50	73.50	85.50

B-10½ can be furnished in special sizes if desired.

In ordering be sure to give location of outlet and supply, whether right or left hand end.

Page Nineteen



Every Stall sent out is set up and carefully adjusted before leaving our factory.

## Genuine Bangor Slate Urinals for Schools and Public Buildings, Etc.



B-II includes Slate Urinal with I-inch Ends and Partitions finished both sides; rabbeted Back; 2-inch thick Countersunk Base, Nickel Plated Brass Clamps and Bolts, Nickel Plated Perforated Washdown Pipe with Loose-key Stop-cock and Galvanized or Enameled Cast Iron Gutter, with outlet connection at either end, fitted with connection for 2-inch Cast Iron Pipe.

Dimensions of Stalls—Height, 5 feet or 5 feet 6 inches; Width from center to center of Partitions, 2 feet; Depth, I foot 8 inches.

	RICES	on Gutter	For Enameled Iron Gutte
Height			add
Three Stall Urinal	\$76.00	\$81.00	\$6.00
For each Stall (continuous) add	21.00	22.00	1.50
If less than three Stalls are required, deduct for each stall	21.00	22.00	1.50

B-II can be furnished 20 inches from center to center of Partitions if desired.

When ordering be sure to give location of Outlet and Supply, whether right or left hand end.

### Special Single Ventilated Slate Urinals for Schools and Public Buildings

K.S.S.Co.

B-111/2-S

B-11½-S Special Single Ventilated Slate Urinal with Partitions, Back, Cap, Countersunk Floor Slab and Galvanized or Enameled Cast Iron Gutter; outlet at either end fitted with connection for 2-inch Cast Iron Pipe; Nickel Plated Brass Perforated Wash-down Pipe with loose-key Stop-cock, Partition Braces, Back Supports and Vent Collar.

Dimensions of Stalls—Height, 5 feet or 5 feet 6 inches; Width from center to center of Partitions, 2 feet; Depth of Partitions, 1 foot 8 inches; Air Space at Back, 4 inches.

-	
	S

	Galvan	ized Iron Gutter	Enameled Iron Gutter Add
Height. 3-Stalls complete as shown.	\$82.00	5 feet 6 inches \$87.00	\$6.00
For each stall complete as shown (continuous) add	23.50	24.50	1.50
than 3-Stalls, deduct		24.50	1.50

Special Sizes made if requested.

Every Stall sent out is set up and carefully adjusted before leaving our factory.


Page Twenty-one

B-11 ½-S Urinals meet every demand for perfect ventilation and commend themselves to every Architect, Sanitary Engineer and others for their ventilating effect upon the entire room. Through an opening at the back and directly over the gutter provided by backs resting on brackets extending over gutter and 4 inches from wall passes a constant flow of air into the Air Space behind the back and out at the top through a vent flue (see cross section above.) By connecting with a warm air flue or chimney an efficient draught is generated. The entire surface of the back slab is constantly flushed from a perforated brass wash-down pipe with loose-key stop to regulate the flow of water.

KEENAN STRUCTURAL SLATE COMPANY, Incorporated, BANGOR, PA.

#### Special Double Ventilated Slate Urinals

For Schools and Public Buildings



#### B-11½-D

B-11½-D Special Double Ventilated Slate Urinal with Partitions, Backs, Cap, Countersunk Floor Slabs and Galvanized or Enameled Cast Iron Gutters, outlet at either end fitted with connection for 2-inch Cast Iron Pipes, Nickel Plated Brass Perforated Washdown Pipes with Loose-key Stopcocks, Partition Braces, Back Supports and Vent Collar.

Dimensions of Stalls—Height, 5 feet or 5 feet 6 inches; Width from center to center of Partitions, 2 feet; Depth of Partitions I foot 8 inches; Air Space between Backs, 4 inches.

	Galvanized Iron Gutter		Enameled Iron Gutter add
Height 3 Double Stalls complete as shown For each Double Stall complete as	5 feet \$166.00	5 ft. 6 in. \$176.00	\$12.00
shown (continuous) add For each Double Stall complete as	47.00	49.00	3.00
shown less than 3 Stalls deduct.	47.00	49.00	3.00

Special sizes made if requested

B-11½-D Urinals meet every demand for perfect ventilation and commend themselves to every Architect, Sanitary Engineer and others for their ventilating effect upon the entire room. Through an opening at the back and directly over the gutter, provided by backs resting on brackets extending over gutter and forming an air space of 4 inches between the backs, passes a constant flow of air into the air space between the backs and out at the top through a vent flue (see cross section above). By connecting with a warm air flue or chimney an efficient draught is generated. The entire face surface of the back slabs is constantly flushed from perforated brass Wash-down Pipes with Loose-key Stop-cocks to regulate the flow of water.

### Genuine Bangor Slate Urinal Stalls for Schools and Public Buildings

B-12

B-12 includes 3-Stall Slate Urinal with 1-inch Ends and Partitions finished both sides; 1-inch Back finished one side; 7-inch Capping covering working space for connections; 1½-inch Grooved and Countersunk Base; Nickel Plated Brass Standard 12 inches high for Center Partition; Nickel Plated Brass Clamps and Angles for supporting Ends and Partitions in place.

Dimensions of Stalls—Height, 5 feet or 5 feet 6 inches; Width, from center to center of Partitions, 2 feet; Depth of Ends, 2 feet 6 inches, of Partitions, 1 feet 8 inches; 6-inch working space allowed at Back for connections.

Prices complete as described for Slate with necessary Brass Angles, Clamps and Standard required for erecting only.

Height	5 feet	5 feet 6 inches
3-Stall complete as above described	\$51.50	\$56.00
For each additional Stall (continuous) add		16.00
If less than three Stalls are required,		
deduct for each Stall	15.00	16.00

B-12 can be furnished in special sizes to order on short notice.

Every Stall sent out is set up and carefully adjusted before leaving our factory.

Page Twenty-three



### Genuine Bangor Slate Urinal Stalls for Schools and Public Buildings



#### B-13

B-13 includes 3-stall Slate Urinal with 1-inch Ends and Partitions finished both sides; 1-inch Back, finished one side; 2-inch Grooved Base, with Gutter sunk in same at back for draining to center or either end; Polished Brass Bee-hive Strainer with Coupling and Nickel Plated Brass Perforated Washdown Pipe with Loose-key Stopcock; Ends and Partitions supported by Nickel Plated Brass Clamps.

Dimensions of Stalls—Height, 5 feet or 5 feet 6 inches; Width from center to center of Partitions, 2 feet; Depth of Ends, 2 feet, of Partitions, 1 foot 8 inches.

Prices complete as shown and described.

Note—In ordering B-13 specify whether Outlet is wanted in center or at end; if at end, which.

B-13 can be furnished in special sizes to order on short notice.

### Genuine Bangor Slate Urinal Stalls for Hotels and Public Buildings

#### B-14

B-14 includes 3-Stall Slate Urinal with 1-inch Ends, Partitions and Splasher Boards finished both sides, 1-inch Back finished one side; 2-inch Base with Gutter sunk in same at back for draining to center or either end; Brass Bee-hive Strainer with coupling and Nickel Plated Brass Perforated Washdown Pipe with Loose-key Stop-cock. Ends, Partitions and Splashers supported by Nickel Plated Brass Clamps. Dimensions of Stalls—Height, 5 feet or 5 feet

6 inches; Width from center to center of Partitions, 2 feet; Depth of Ends and Partitions, 1 foot 10 inches; Height of Splasher Boards from floor, 1 foot 4 inches; Base projects 2 inches in front of Ends and Partitions. Prices complete as shown and described.

Height	5 ft.	5 ft. 6 in.
above described	\$76.50	\$79.00
For each additional Stall (continuous), add	24.00	25.00
If less than three Stalls are required, deduct for each		
Stall	24.00	25.00

B-14 can be furnished any special size to order on short notice.

Note—In ordering B-14 specify whether Outlet is wanted in center or at end; if at end, which.

Every Stall sent out is set up and carefully adjusted before leaving our factory.



Page Twenty-five

### Genuine Bangor Slate Urinals for Schools



#### B-15

B-15 includes Slate Urinal with 1-inch Partition and rabbeted Back; 1½-inch thick Countersunk Base; Nickel Plated Brass Clamps and Bolts; Nickel Plated perforated Washdown Pipe and Connection at Flush Tank; Galvanized or Enameled Cast Iron Gutter with outlet connection at either end, fitted with connection for 2-inch Cast Iron Pipe.

Dimensions of Stalls—Height, 4 feet 6 inches; Width from center to center of Partitions, I foot 8 inches; Depth, I foot 8 inches; Base, 2 feet 2 inches wide and countersunk as shown.

#### Prices

Galvanized Enameled Iron Iron Gutter Gutter, add

Can be furnished 5 feet or 5 feet 6 inches high and 24 inches on center if desired, or with Slate Gutter as shown by our Fig. B-10



B-15½—Section showing Double Stall set Back to Back Prices on Application

In ordering be sure to give location of outlet, whether right or left hand end, also send coupling nut from tank and state distance from center of flush spud to back of tank.

Every Stall sent out is set up and carefully adjusted before leaving our factory.

Page Twenty-six

#### Genuine Bangor Slate Urinal Stalls

#### B-16


B-16 includes Corner Slate Urinal with 1-inch Sides finished one face; 1½-inch Countersunk Base; Supported by Nickel Plated Brass Clamps, as shown.

Dimensions of Stall—Height, 5 feet or 5 feet 6 inches; Width of Sides, 2 feet; Base cut on quarter circle.


Prices complete as described for slate with all necessary brass clamps, bolts and nuts required for erecting only.

Height	5 feet	5 feet 6 inches
Complete as above described	\$13.50	\$15.00

B-16 can be furnished any special size to order on short notice.



### Side Wall Slate Urinal Trough



#### B-17

B-17 includes Side Wall Slate Urinal Trough made of 1-inch thick slate dovetailed, grooved and bolted together making the same water-tight. Bottom fitted with Brass Bee-hive Strainer with coupling for waste to center or either end and supplied with two Galvanized Iron Brackets for supporting at wall.

Dimensions—Height over all, 2 feet; of Back over Trough, I foot; Width, I foot.

Prices complete as shown and described above.

	LE	NGTH	
2 ft. 6 in	3 ft.	3 ft. 6 in.	4 ft.
\$11.50	\$13.00	\$14.50	\$16.00
4 ft. 6 in.	5 ft.	5 ft. 6 in. \$20.50	6 ft.
\$17.50	\$19.00		\$22.00
Can be furnis	hed in special	sizes to order at s	short notice.

Note—In ordering B-17 specify whether Outlet is wanted in center or at end; if at end, which.

State Urinal Troughs are frequently used where a low priced fixture is desired or where the wainscoting and the flooring of the room are all of slate or non-porous character.

# Combination Slate Urinal and Slop Sink Stalls for Janitor Quarters in Public Buildings

#### B-18

B-18 includes Slate Combination Urinal and Slop Sink Stalls with I-inch Ends and Partitions finished both sides; I-inch Back finished one side; I3-inch Capping covering working space for connections; I½-inch Grooved and Countersunk Base; Nickel Plated Brass Angles, Clamps and Bolts for properly supporting the same.

Dimensions of Stalls—Height, 5 feet or 5 feet 6 inches; Width, from center to center of Partitions, 2 feet; Depth of Ends, 3 feet; Working Space at Back, 12 inches.

Prices complete as described for Slate with the necessary brass angles, clamps and bolts required for erecting only.

Height	5 feet	5 feet 6 inches
2-Stalls complete as above described	\$38.00	\$42.00
For each additional Stall (continuous), add	14.50	16.00
If one stall only is required, deduct	14.50	16.00

B-18 can be furnished in special sizes to order on short notice.



### Special Range Combination Slate Closet and Urinal Stalls

For Hotels, Department Stores, Office Buildings, Etc.

K.S.S.CO.

Every Stall sent out is set up and carefully

adjusted before leaving our factory.

B-19

Special Range Combination Slate Closet and Urinal Stalls are very much in favor where only limited space is available for toilet rooms. Countersunk Urinal Floor; Backs

and Ends extending to floor; Partitions resting on 12-inch Legs. Clamps, Stirrups, Legs and Top Rail with Standards Nickel Plated.

Dimensions of Stalls-Height of Closet Stalls, 6 feet 6 inches from finished floor; Width, 2 feet 6 inches center to center; Depth of Closet Stalls, 4 feet; Height of Urinals, 5 feet 6 inches from Countersunk Floor; Width, 2 feet center to center; Depth of Urinals, 2 feet; Partitions, I foot 8 inches; Thickness, Backs, Ends and Partitions, 1 inch: Stiles, 1 1/4 inches: Countersunk Urinal Floor, 11/2 inches. Urinal Back set out from wall 12 inches for working space. Ends sufficiently wide to cover working space at Back, Cap covering it at top.

Page Thirty

#### Genuine Bangor Slate Barber Stand


Wall Stand

#### B-20

B-20 Wall Slate Barber Stand includes 1¼-inch countersunk Top, with chamfer moulded edges, 4 feet long by 1 foot 10 inches wide, with 12-inch Back; Aprons, 5 inches. Patent Overflow Metal Plug Basins, Nickel Plated Fuller Basin and Double Shampoo Cocks, with Hose and Sprinkler; Nickel Plated Brass Taper Tube Legs, Traps, P. O. Plugs with Chain and Snaps, Apron supports and Special Supply Pipes with all brass connections, joints ground and fitted to cocks.

Prices on application.

B-20 can be furnished in special sizes to order on short notice.



### Genuine Bangor Slate Barber Stand

Center Stand



#### B-21

B-21 Center Slate Barber Stand includes 1½ inch Countersunk Top, with chamfer moulded edges, 4 feet long by 22 inches wide, Aprons 5 inches high. Patent Overflow Metal Plug Basins, Nickel Plated Fuller Basin and Double Shampoo Cocks, with Hose and Sprinkler, Nickel Plated Brass Taper Tube Legs, Traps, special Supply Pipes, with all brass connections, joints ground and fitted to cock, P.O. Plugs, with Chain and Snaps.

Prices on application.

B-21 can be furnished in special sizes to order on short notice.

Every Fixture sent out is set up and carefully adjusted before leaving our factory.

Page Thirty-two

### Slate Floor Slabs for Water Closets

B-22 consists of 1¼ inch thick Countersunk Slate Floor Slab, with raised seat for Water Closet drilled for Safe Waste, Supply Pipe and Closet Waste.

Prices complete as described

Slate Floor Slab 27 inches by 27 inches by 1 1/4 inches \$4.50

Slate Floor Slab 30 inches by 27 inches by 1 1/4 inches.\$4.75



Note—When ordering give distance from back edge of Floor Slab to center of Closet Waste, as well as location of Safe Waste Strainer and Supply Pipe openings if there are any and size thereof.

### Slate Acid Tanks, Oil Vats and Troughs

for Nickel Plating Works, Pickling Works, Horse Drinking Troughs, Milk Tanks, Etc.

B-23 Slate Tank, a few of its many uses enumerated above for which Slate is unsurpassed.


Write for prices giving inside dimensions required.

### Slate Radiator and Counter Tops


B-24 shows Slate Radiator Top 1½
inches Thick with
O. G. moulded
edges made in any
size required.

Prices on application.





### Range Slate Closet Stalls



#### B-25

Range Slate Closet Stalls with Backs, Ends, Partitions and Sides. End Slabs to floor, Partitions supported on 12inch Legs. Clamps, Stirrups, Angles and Top Rail with Standards Nickel Plated.

Dimensions of Stalls—Height, 6 feet; Width, 2 feet 6 inches, center to center; Depth, Partitions 3 feet, 6 inches; Thickness, Backs, Ends and Partitions 1 inch; Stiles, 1 1/4 inches.

Number of Stalls	1	2	
Price, complete as d	e-	\$92.00	\$130.00
Number of	4	5	6
Stalls	4	3	

Special Sizes made on request.

Every Stall sent out is set up and carefully adjusted before leaving our factory.

Page Thirty-four


### Special Single Ventilated Slate Closet Stalls

For Schools and Public Buildings B-26

Special Single Ventilated Slate Closet Stalls with Back, Ends, Partitions and Caps. Back and Ends to floor; Center Slabs supported on 12-inch Legs. Clamps, Stirrups, Top Rail with Standards, Vent Hoods and Vent Flue Collar nickel plated.

Plans, dimensions and prices on application.

Special Single Ventilated Slate Closet Stalls with ventilating hoods at back over closet seats, are especially designed to complete ventilated toilet rooms in connection with our Ventilated Urinals, Plate B-5 and B-6. Ventilation is accomplished by ventilating hoods at back just over water closets, from which air passes into the air space behind the back and out through a vent flue projecting through the vent hole in the cap. An efficient draught is created by connecting this vent pipe with a warm air flue or chimney.



### Special Double Ventilated Slate Closet Stalls

For Schools and Public Buildings

B-27

Special Double Ventilated Slate Closet Stalls with Backs, Ends, Partitions and Caps. Back and End Slabs to floor; Center Slabs supported on 12-inch Legs. Clamps, Stirrups, Top Rail with Standards, Vent Hoods and Vent Flue Collar nickel plated.

Plans, Dimensions and Prices on application.

Special Double Ventilated Slate Closet Stalls for erection in center of room, well away from walls, to permit free passage of air from all sides, with ventilating hoods at back over closet seats, are especially designed to complete ventilated toilet-rooms in connection with our Ventilated Urinals, Plate B-5 and B-6. Ventilation is accomplished by ventilating hoods at back just over water-closets, from which the air passes into the air space behind the back and out through a vent flue projecting through the vent hole in the cap. An efficient draught is created by connecting this vent pipe with a warm air flue or chimney.

Every Stall sent out is set up and carefully adjusted before leaving our factory.



H. S. S. Co.

### Range Double Slate Shower Bath Stalls

#### B-28

Range Double Slate Shower Bath Stalls includes Backs, Ends and Partitions all extending to and embedded I inch in cement floor. Clamps, Stirrups, Angles and Top Rail Nickel Plated.


Dimensions of Stalls—Height above floor, 6 feet 6 inches; Stalls, 3 feet by 3 feet inside; Thickness of slabs, 1 inch.

Numb Double				3										e complete described
I											٠	,	,	\$91.00
														145.00
3	,	٠												199.00
4										٠				253.00
														307.00
6														361.00

Special sizes will be made if requested.

B-28 Range Double Slate Shower Bath Stalls are particularly adapted for use in Government Army Posts and Naval Stations, and the United States Government specify this fixture in many of the new Posts now being erected or remodeled.





Range Slate Shower Bath Stalls with Dressing Rooms

For Gymnasiums, College Dormitories and U. S. Government Army Posts and Naval Stations

B-29

Range Slate Shower Bath Stalls with Dressing Room have Backs, Ends and Partitions I inch thick extending to and embedded I inch in cement floor; Stiles, 1½ inches; Seats, 1½ inches. Clamps, Stirrups, Angles and Top Rail Nickel Plated.

Plans, dimensions and prices on application.

This type of Stalls is specified by U. S. Government in "General Specifications for Plumbing Buildings" prepared November 1, 1908, under style Type G, paragraph 189.

### Range Slate Shower Stalls

For Clubs, Hospitals, Colleges and Gymnasiums


#### B-30

Range Slate Shower Stalls with Backs and Ends extending to and embedded 1 inch in cement floor. Partitions resting on 12-inch legs. Clamps, Stirrups, Angles, Legs and Top Rail Nickel Plated.

Dimensions—Height of Backs and Ends to floor, 6 feet 6 inches; Partitions, 5 feet 6 inches; Legs, 12 inches; Stalls, 3 feet by 3 feet in clear; thickness of slabs 1 inch.

Numb Stal		О	f															e c de			
1.																	4	550	0.0	0	
2.																		8	5.0	0	
3							,										I	20	0.0	0	
4.		,						,									1	55	5.0	0	
5		,															1	90	0.0	О	
6.																	2	225	5.0	0	

Special sizes made on request



### Slate Needle and Shampoo Bath Stalls

For Bath Houses, Clubs and Gymnasiums



#### B-31

Slate Needle and Shampoo Bath Stalls have Backs, Ends and Curbs extending to and embedded 1 inch in cement floor. Clamps, Angles, Top Rail and Standards Nickel Plated.

Dimensions—Height of Backs and Ends from floor, 6 feet 6 inches; Stalls, 3 feet 2 inches by 3 feet 2 inches, inside; Thickness of Backs and Ends, I inch; Stiles and Curbs, I 1/4 inches.

Can be furnished with countersunk slate floor if desired.

### Slate Needle and Shower Bath Stalls

For Bath Houses, Clubs and Gymnasiums

#### B-32


Slate Needle and Shower Bath Stalls with Backs and Ends extending to countersunk Slate Floor Slab. Clamps, Stirrups and Waste Nickel Plated.

Dimensions—Height of Back and Ends from floor, 6 feet 6 inches; interior of Stall, 3 feet 2 inches by 3 feet 2 inches; Thickness, Backs and Ends I inch; Floor, 2 inches.



KS.S.CO.

## Special Range Slate Bath Room Stalls For Hospitals, Bath Houses, Etc.



B-33—Special Range Slate Bath Room Stalls with Backs, Ends and Partitions, I inch thick; Stiles, I¼ inches. Backs and Ends extending to and embedded I inch in cement floor; Partitions and Center Stiles resting on 12-inch Legs. Clamps, Angles Stirrups, Top Rail with Standards and Legs nickel plated.

Plans, Dimensions and Prices on application.

Every Stall sent out is set up and carefully adjusted before leaving our factory.

Page Forty-two

### Slate Lavatories for Schools, Factories and Public Buildings



Prices complete as shown with Oval or Round Basins on application.

B-34 can be furnished in special sizes to order on short notice.

In ordering give size of Basin, and distances from back to center of supply.

The hard usage to which Lavatories are subjected in Schools, Factories and Public Buildings has led to the adoption of Slate for all Toilet Room work. Marble, which soon becomes stained if not broken, is practically of no service; Slate, on the contrary, retains its original color, is non-absorbent and practically indestructible.

Every fixture sent out is set up and carefully adjusted before leaving our factory.

Page Forty-three

### Slate Lavatories for Schools, Factories and Public Buildings



Corner Lavatory, B-	35, with	10	Inch	Backs
---------------------	----------	----	------	-------

20 x 20 inches......\$5.75 22 x 22 inches......\$6.25

### Single Back Lavatory, B-36, with 10 Inch Back

20 x 26 inches.......\$5.50 20 x 30 inches......\$6.00

22 x 30 inches......\$6.50

If chamfered edges in place of O. G. as shown, deduct 50 cents.

#### Right or Left Hand End Lavatories B-37 and B-38, Back and End 10 Inches High

20 x 26 inches.......\$5.90 20 x 30 inches.......\$6.35

22 x 30 inches.......\$7.00


If chamfered edges in place of O. G. as shown, deduct 60 cents.

#### Recess Lavatory B-39 with Back and Two Ends 10 Inches High


This Lavatory finishes flush with the wall.

Recess Lavatories are so varied in size that a table of prices would be of no benefit.


All above prices based on 1 inch thick Back and Ends, 1½ inch thick Countersunk Slab cut either for oval or round basin. In ordering be particular to state size, number of cock holes, if for chain stay and clamps, size of bowl and whether round, oval or square.



Section B-40




Slate Wainscoting for Toilet Rooms, Hospital Wards, School Rooms, Railroad Waiting Rooms, Operating Rooms, Assembly Halls, Bacteriological Laboratories, Vestibules, Etc.




We are furnishing large quantities of this material for Vestibules, Halls and Bath Rooms, Wainscoting in Flats, Apartment Houses, Restaurants and Hotels.

Our Imitation Tile is especially fine, is easily put in position by ordinary mechanics with no possibility of any part being displaced or falling out, neither does it afford lurking place for vermin.

Write for prices.




Section B-41




Section B-43

Page Forty-five








Slate Wainscoting for Toilet Rooms, Hospital Wards, School Rooms, Railroad Waiting Rooms, Operating Rooms, Assembly Halls, Bacteriological Laboratories, Vestibules, Etc.

Slate Wainscoting in addition to its adaptability in the natural slate admits of pretty ornamental effects by marbleizing to imitate any desired color of Foreign or Domestic Marble and Tile so perfectly that even an expert cannot tell the difference except on the closest examination.


We are furnishing large quantities of this material for Vestibules, Halls and Bath Rooms, Wainscoting in Flats, Apartment Houses, Restaurants and Hotels.

Our Imitation Tile is especially fine, is easily put in position by ordinary mechanics with no possibility of any part being displaced or falling out, neither does it afford lurking place for vermin.

Write for Prices.



Section B-45



Section B-47

### Brass Legs for Urinal and Closet Stalls Tubing Legs





B-50-Corner



B-51-Partition





#### Pin Base

Will be furnished for cement or stone floors, unless otherwise ordered, on B-48, 49. 50, 51 and 52 at same price.

B-48,	Nickel	Plated,	each						\$2.00
B-49,	4.4	4.6	. 44 '	,	,				2.00
B-50,	6.6	4.6	4.4						2.35
B-51,	6.6	4.6	6.6						2.75
B-52.	6.6	4.6	4.4						3.50

#### **Tubing Standards** Ball Pattern Top Design

B-53,	Nickel	Plated,	each					 								\$2.00
B-54,	4.4	4.6	6.6			,							,			2,00
B-55,	6.6	4.6	6.6					 								2.50
B-56,	4.4	4 4	4.4					 								2.75
B-57,	4.4	4.6	4.4													3.50

All above prices are complete with Bolts and Nuts.

IMPORTANT—The above Closet and Urinal Legs are made and carried in stock for 1-inch and 11/4-inch Slate or Marble. Prices above cover either size. It is very important in ordering to give thickness of Slate or Marble, giving thickness of Partition and Stile. Height of above Legs is 12 inches from floor to bottom of Partition or Stile. Height of Standards is 12 inches from top of Slate to bottom of Rail.

Page Forty-seven







B-54-Center




B-55-Corner



B-56-Partition



### Cast Brass Clamps for Urinal and Closet Stalls



## Stirrups Standard Patterns



IMPORTANT—The above Clamps and Stirrups are carried in stock for 1 inch and 11/4 inch Slate or Marble and prices above cover either size. When ordering always give thickness of Marble or Slate.

### Cast Brass Angles and Special Clamps for Urinal and Closet Stalls

#### B-67, Standard Pattern

Size 2 1/4 x 2 1/4 x 3 5/8

Nickel Plated, complete with Bolts and Nuts, each......\$.60

#### B-68, Heavy Pattern with Four Bolts

Size 2 x 2 x 3 1/2

Nickel Plated, complete with Bolts and Nuts, each......\$1.00

#### B-69, Standard Pattern

Size 1 3/8 x 1 3/8 x 1

Nickel Plated, complete with Bolts and Nuts, each.....\$ .40

#### B-70, Special Flat Clamp with Two Bolts

Size 3 1/2 x 3

Nickel Plated, complete with Bolts and Nuts, each......\$.80

#### B-71, Plain Pattern


Size 1 7/8 x 1 7/8 x 1 3/4

Nickel Plated, complete with Bolts and Nuts, each ......\$ .40

#### B-72, Flat Plate with Four Bolts

Size 4 x 2

Nickel Plated, complete with Bolts and Nuts, each.....\$1.00






B73

#### Threaded Brass Rod

Any length to order, per foot......\$.14



#### Bolt. Nuts and Washer

IMPORTANT—The above are standard and carried in stock. When ordering give thickness of Marble or Slate that proper length Bolts are sent.

Page Forty-nine

### Closet and Urinal Stall Trimmings





B-76—Brass Railing Tip.

Nickel Plated, each, \$ .50

B-77—Cast Brass Railing Tip.


Nickel Plated




B-77—Cast Brass Wall Flange. Nickel Plated, each.....\$.50



Brass Urinal Stall Strainers






### Galvanized and Enameled Cast Iron Urinal Stall Gutters

B-81, Single Range of Stalls B-82, Double Range of Stalls

Sections furnished for any length Urinal desired 6 inches wide; outlet piece has spigot end for 2-inch Soil Pipe.

Page Fifty

### Urinal Stall Trimmings




### Brass Sink, Lavatory and Barber Stand Trimmings


B-88—Sink Leg, Size of Apron 8 inches

Nickel Plated, each .........\$4.75 Complete with Bolts and Nuts B-90—Fancy Sink Leg, Size of Apron, 8 inches

Nickel Plated, each..........\$5.75 Complete with Bolts and Nuts



Rough Brass, each.....\$2.60 Nickel Plated, each.....\$3.00



B-92—Taper Tube Leg, Extra Heavy and Substantial


Nickel Plated, each.......\$5.50 Complete with Bolts and Nuts

B-93—Adjustable Cast Brass Lavatory Trap with Waste to Floor, no Vent

Size 11/4 inches

Rough Brass, each ......\$2.10 Nickel Plated, each ...... 2.50

Page Fifty-two



### Brass and Steel Lavatory Brackets

B-94—Cast Brass, Light Pattern, with Steel Brace to Wall. Size 16 by 18 inches. Nickel plated, per pair	B94	B95	B 96
B-96—Cast Brass, Medium Pat- tern. Size 16 by 18 inches. Nickel plated, per pair\$4.70		B. Carlotte	7
B-97—Cast Brass, Medium Pattern. Size 16 by 18 inches, Nickel plated, per pair\$4.50	897	898	B99
B-98—Nickel Plated Steel. Size 16 by 18 inches. Nickel plated, per pair\$1.50			
B-99—Nickel Plated Steel. Size 16 by 18 inches. Nickel plated, per pair\$1.00			

Single Compartment



#### B-100

Length	Width	Depth	Price
24 inch	24 inch	14 inch	\$ 7.25
30 inch	24 inch	14 inch	8.75
36 inch	24 inch	14 inch	10.25

Prices as above for Slate Tub only.

For prices of Legs, Plugs, Continuous Wastes and Soap Cups, see pages 78 and 79.

We do not furnish Faucets.

Faucet holes will be drilled in all Tubs sent out unless otherwise ordered. All measurements are outside. Thickness of Slate used in construction, 1½ inches.

Single Compartment with 12-inch High Back

B-101

Length	Width	Depth	Price
24 inch	24 inch	14 inch	\$ 8.25
30 inch	24 inch	14 inch	9.75
36 inch	24 inch	14 inch	11.50

Prices as above for Slate Tub only.

For prices of Legs, Plugs, Continuous Wastes and Soap Cups, see pages 78 and 79.

We do not furnish Faucets.

Faucet holes will be drilled in all Tubs sent out unless otherwise ordered.



# Genuine Bangor Slate Laundry Tubs Two Compartments



#### B-102

Length	Width	Depth	Price
48 inch	24 inch	14 inch	\$13.00
54 inch	24 inch	14 inch	14.50
60 inch	24 inch	14 inch	16.00

Price as above for Slate Tub only.

For prices of Legs, Plugs, Continuous Wastes and Soap Cups, see pages 78 and 79.

We do not furnish Faucets.

Faucet holes will be drilled in all Tubs sent out unless otherwise ordered.

Two Compartments with 12-inch High Back

B-103

Length	Width	Depth	Price
48 inch	24 inch	14 inch	\$15.00
54 inch	24 inch	14 inch	16.50
60 inch	24 inch	14 inch	18.00

Price as above for Slate Tub only.

For prices of Legs, Plugs, Continuous Wastes and Soap Cups, see pages 78 and 79.

We do not furnish Faucets.

Faucet holes will be drilled in all Tubs sent out unless otherwise ordered.



### Genuine Bangor Slate Laundry Tubs

### Two Compartments

#### With 12-inch High Back, Shelf and Return Pieces at the Ends





Length	Width	Depth	Price
48 inch	24 inch	14 inch	\$17.00
54 inch	24 inch	14 inch	18.50
60 inch	24 inch	14 inch	20.00

Prices as above for Slate only.

For prices of Legs, Plugs, Continuous Wastes and Soap Cups, see pages 78 and 79.

We do not furnish Faucets.

Faucet holes will be drilled in all Tubs unless otherwise ordered.

Three Compartments

B-105


Length	Width	Depth	Price
72 inch	24 inch	14 inch	\$21.50
78 inch	24 inch	14 inch	23.50
84 inch	24 inch	14 inch	25.50

Prices as above for Slate only.

For prices of Legs, Plugs, Continuous Wastes and Soap Cups, see pages 78 and 79.

We do not furnish faucets.

Faucet holes will be drilled in all Tubs sent out unless otherwise ordered.



Three Compartments with 12-inch High Back



#### B-106

Length	Width	Depth	Price
72 inch	24 inch	14 inch	\$24.50
78 inch	24 inch	14 inch	26.50
84 inch	24 inch	14 inch	28.50

Prices as above for Slate only.

For prices of Legs, Plugs, Continuous Wastes and Soap Cups, see pages 78 and 79.

We do not furnish Faucets.

Faucet holes will be drilled in all Tubs unless otherwise ordered.

Three Compartments

With 12-inch High Back, Shelf and Return Pieces at Ends

#### B-107

Length	Width	Depth	Price	Brass Rim Additional
72 inch	24 inch	14 inch	\$27.75	\$8.00
78 inch	24 inch	14 inch	30.00	8.50
84 inch	24 inch	14 inch	32.00	9.00

Prices as above for Slate only.

For prices of Legs, Plugs, Continuous Wastes and Soap Cups, see pages 78 and 79.

We do not Furnish Faucets.

Faucet holes will be drilled in all Tubs sent out unless otherwise ordered.

All measurements are outside. Thickness of Slate used in construction, 11/4 inches.



Page Sixty-one

### Genuine Bangor Slate Combination Kitchen Sink and Laundry Tub

With 12-inch High Back and Slate Drain Board



#### B-108

Length .	Width	Depth	Price	Slate Drain Board additional
48 inch	24 inch	14 inch	\$17.00	\$3.00
54 inch	24 inch	14 inch	19.00	3.00
60 inch	24 inch	14 inch	21.00	3.00

Prices as above for Slate only.

For prices of Legs, Plugs, Continuous Wastes and Soap Cups, see pages 52, 53, 78, 79, 80 and 81.

We do not furnish Faucets.

Faucet holes will be drilled in all Tubs sent out, unless otherwise ordered.

### Genuine Bangor Slate Combination Kitchen Sink and Two Laundry Tubs

#### With 12-inch Back and Slate Drain Board

B-109

Length	Width	Depth	Price	Slate Drain Board additional
66 in.	24 in.	14 in.	\$25.50	\$3.00
72 in.	24 in.	14 in.	27.50	3.00
78 in.	24 in.	14 in.	29.50	3 00
84 in.	24 in.	14 in.	31.50	3.00

Prices as above for Slate only.

For prices of Legs, Plugs, Continuous Wastes and Soap Cups, see pages 52, 53, 78, 79, 80 and 81.


We do not furnish Faucets.

Faucet holes will be drilled in all Tubs sent out unless otherwise ordered.



### Genuine Bangor Slate Combination Kitchen Sink and Two Part Laundry Tub

Combination Slate Kitchen Sink, 22 inches by 30 inches by 8 inches deep, with 24-inch Drain Board, Two-part Laundry Tub 48 inches long with 16-inch High Back



#### B-110

Special sizes made to order.

For prices of Legs, Plugs, ContinuousWastes and Soap Cups, see pages 52, 53, 78, 79, 80 and 81.

This Combination is very practical and convenient for use in apartment houses, flats and residences where it is necessary to economize space.

We do not furnish Faucets.

Faucet holes will be drilled in all Tubs and Sinks sent out unless otherwise ordered.

All measurements are outside. Thickness of all Slate used in construction, 11/4 inches.

Page Sixty-four

### Genuine Bangor Slate Combination Kitchen Sink and One Part Laundry Tub

Combination Slate Kitchen Sink with Drain Board and One Part Laundry Tub 12-inch High Back with Shelf and Return Ends

B-111

Size of Sink	Length of Drain Board
24 x 30 x 8 in.	18 in.
24 x 30 x 8 in.	24 in.
24 x 36 x 8 in.	24 in.
24 x 30 x 8 in.	18 in.
24 x 30 x 8 in.	24 in.
24 x 36 x 8 in.	24 in.

Length of Tub	Total Length	Price
24 in.	6 ft.	\$34.50
24 in.	6 ft. 6 in.	36.75
24 in.	7 ft.	39.25
48 in. two-part	8 ft.	44.50
48 in. two-part	8 ft. 8 in.	46.00
48 in. two-part	9 ft.	50.00

Prices above for Slate only.

For prices of Legs, Plugs, Continuous Wastes and Soap Cups, see pages 52, 53, 78, 79, 80 and 81.

We do not furnish Faucets.

Faucet holes will be drilled in all Tubs and Sinks sent out unless otherwise ordered.

All measurements are outside. Thickness of all Slate used in construction 11/4 inches. Can be made with Laundry Tub on either Right or Left End as desired and with 12-inch high End on both or either Ends.




Page Sixty-five

### Genuine Bangor Slate Combination Kitchen Sink and Two Part Laundry Tub

Butted and Capped





Size of Sink	Length of Tub	Width of Tub
24 x 24 in.	48 in.	24 in.
24 x 30 in.	48 in.	24 in.
24 x 36 in.	48 in.	24 in.
24 x 30 in.	54 in.	24 in.
24 x 36 in.	54 in.	24 in.

Total Length	Price
6 ft.	\$23.00
6 ft. 6 in.	24.00
7 ft.	25.00
7 ft.	25.00
7 ft. 6 in.	26.00

Prices above for Slate only. For prices of Legs, Plugs, Continuous Waste and Soap Cups, see pages 52, 53, 78, 79, 80 and 81. We do not furnish Faucets.

Faucet holes will be drilled in all Tubs and Sinks sent out unless otherwise ordered.

All measurements are outside. Thickness of all Slate used in construction, 11/4 inches. Can be made with Laundry Tub on either Right or Left End as desired and with 12-inch high End on both or either Ends.

Special sizes to order.

Page Sixty-six

# Genuine Bangor Slate Sink Top with Grooved Drain Board, Back and Aprons, for Porcelain or Galvanized Iron Sinks

Length of Drain Board, 24 Inches, Height of Back, 16 Inches, Width of Aprons, 8 Inches

#### B-113

Size of Sink	18 x 30	20 x 30	20 x 36
Price Total Length	\$14.00 4 ft. 6 in.	\$15.00 4 ft. 6 in.	\$17.00 5 feet
Size of Sink		20 x 40	22 x 42
Price		\$18.50 5 ft. 4 in.	\$20.00 5 ft. 6 in.

Prices as above for Slate only.

For prices of Legs, Wastes and Brackets, see pages 52, 53, 78, 80 and 81.

Can be made with Drain Board on either End and with High End same as Back.

We do not furnish Faucets.

Faucet holes will be drilled in all Backs for this fixture unless otherwise ordered.

Thickness of Slate 11/4-inch Top, 1-inch Back and Aprons.

Note—When ordering specify size of Sink to be used and on which end Drain Board is desired.



Page Sixty-seven

### Genuine Bangor Slate Kitchen Sinks



#### B-114

Size of Sink	18x24x8	20x30x8	20x36x8	22x30x8	22x36x8
Price	\$7.00	\$7.75	\$8.30	\$8.00	\$8.50
Size of Sink		22x42x8	24x30x8	24x36x8	24x48x8
Price		\$9.20	\$8.40	\$9.00	\$10.50

Prices as above for Slate only.

For prices of Strainers, Wastes, Brackets, Legs and Soap Cups, see pages 52, 53, 78, 80 and 81.

All measurements are outside. Thickness of Slate used in construction, 11/4 inches.

In ordering give size and location of Waste.

Height of Back, 12 inches; Depth of Sink, 8 inches B-115

Size of Sink	18 x 24	20 x 30	20 x 36	22 x 30	22 x 36
Price without Brass Rim	\$ 8.50	\$ 9.50	\$10.30	\$ 9.75	\$10.50
Price with Brass Rim	12.50	13.50	14.50	13.75	15.00
Size of Sink		22 x 42	24 x 30	24 x 36	24 x 48
Price without Brass Rim		\$11.50	\$10.15	\$11.00	\$13.10
Price with Brass Rim		16.25	14.40	15.50	18.50

Prices as above for Slate and Slate with Brass Rim only.

For prices of Strainers, Wastes, Brackets, Legs and Soap Cups, see pages 52, 53, 78, 80 and 81.

We do not furnish Faucets.

Faucet holes will be drilled in Backs on all Sinks with High Backs sent out unless otherwise ordered.

All measurements are outside. Thickness of Slate used in construction, 11/4 inches.

In ordering give size and location of Waste.



# Genuine Bangor Slate Kitchen Sink

Height of Back and End, 12 inches; Depth of Sink, 8 inches

B-116



Size of Sink	18 x 24	20 x 30	20 x 36	22 x 30	22 x 36
Price without Brass Rim Price with Brass	\$ 9.75	\$10.75	\$11.55	\$11.00	\$11.75
Rim	13.50	14.50	15.60	14.75	15.00
Size of Sink		22 X 42	24 x 30	24 x 36	24 x 48
Price without Bras	s Rim	\$12.75	\$11.40	\$12.25	\$14.40
Price with Brass R	lim	17.25	15.20	16.50	19.60

Prices as above for Slate and Slate with Brass Rim only.

For prices of Strainers, Wastes, Brackets, Legs and Soap Cups, see pages 52, 53, 78, 80 and 81.

We do not furnish Faucets.

Faucet holes will be drilled in Backs on all Sinks with High Back sent out unless otherwise ordered.

All measurements are outside. Thickness of Slate used in construction, 11/4 inches.

In ordering give size and location of waste.

Height of Back, 16 inches; Depth of Sink, 8 inches; Length of Drain Board, 24 inches

#### B-117

	_				
Size of Sink	18 x 24	20 x 30	20 x 36	22 X 30	22 x 36
Price without Brass Rim Price with Brass Rim	\$13.00 18.00	\$14.50	\$16.50	\$15.00	\$17.00
	4 ft.	19.75 4 ft. 6 in.	22.00 5 ft.	20.50 4 ft. 6 in.	23.00 5 ft.
Size of Sink		22 x 42	24 x 30	24 x 36	24 x 48
Price without Bras	s Rim	\$19.00	\$15.50	\$17.50	\$21.50
Price with Brass R	im	25.00	21.25	23.75	28.75
Total Length		5 ft. 6 in.	4 ft. 6 in.	5 ft.	6 ft.

Prices as above for Slate and Slate with Brass Rim only.

For prices of Strainers, Wastes, Brackets, Legs and Soap Cups, see pages 52,53,78,80 and 81. We do not furnish Faucets.

Faucet holes will be drilled in Backs on all Sinks with High Backs sent out unless otherwise ordered.

All measurements are outside. Thickness of Slate used in construction, 11/4 inches.

In ordering give size and location of Waste.





Height of Back, 16 inches; Depth of Sink, 8 inches; Length of Drain Board, 24 inches; Length of Pump Board, 10 inches

#### B-118

Size of Sink	18 x 24	20 x 30	20 x 36	22 X 30	22 x 36
		20 1 30	20 A 30	22 A 30	22 X 30
Price without Brass Rim Price with Brass.	\$17.00	\$18.50	\$20.50	\$19.00	\$21.00
Rim Total Length	22.00 4 ft. 10 in.	23.75 5 ft. 4 in.	26.00 5 ft. 10 in.	24.50 5 ft. 4 in.	27.00 5 ft. 10 in
Size of Sink		22 X 42	24 x 30	24 x 36	24 x 48
Price without Brass F Price with Brass F Total Length	Rim	\$23.00 29.00 6 ft. 4 in.	\$19.50 25.25 5 ft. 4 in.	\$21.50 27.75 5 ft. 10 in.	\$25.50 32.75 6 ft. 10 in

Prices as above for Slate and Slate with Brass Rim only.

For prices of Strainers, Wastes, Brackets, Legs and Soap Cups, see pages 52, 53, 78, 80 and 81.

We do not furnish Faucets.

Faucet holes will be drilled in Backs on all Sinks with High Backs sent out unless otherwise ordered.

All measurements are outside. Thickness of Slate used in construction, 11/4 inches.

In ordering give size and location of waste.

Height of Back and End, 16 inches; Depth of Sink, 8 inches; Length of Drain Board, 24 inches

#### B-119

Size of Sink	18 x 24	20 x 30	20 x 36	22 X 30	22 x 30
Price without Brass Rim Price with Brass Rim Total Length	\$14.25 19.00 4 ft.	\$15.75 20.75 4 ft. 6 in.	\$17.75 23.00 5 ft.	\$16.25 21.50 4 ft. 6 in	\$18.25 24.00 5 ft.
Size of Sink	22 X 42	24 x 30	24 x 36	24 X 4	
Price without Brass Rim Price with Brass Rim Total Length		26.00	\$16.75 22.25 4 ft 6 in.	\$18.75 24.75 5 ft.	\$22.75 29.75 6 ft.

Prices as above for Slate and Slate with Brass Rim only.

For prices of Strainers, Wastes, Brackets, Legs and Soap Cups, see pages 52, 53, 78, 80 and 81.

We do not furnish Faucets.

Faucet holes will be drilled in Backs on all Sinks with High Backs sent out unless otherwise ordered.

All measurements are outside. Thickness of Slate used in construction, 11/4 inches.

In ordering give size and location of Waste.



Page Seventy-three

Height of Back and End, 16 inches; Depth of Sink, 8 inches; Length of Drain Board, 24 inches



#### B-120

Size of Sink	18 x 24	20 x 30	20 x 36	22 x 30	22 x 36
Price without Brass Rim	\$14.25	\$15.75	\$17.75	\$16.25	\$18.25
Price with Brass Rim	19.00	20.75	23.00	21.50	24.00
Total Length	4 ft.	4ft.6in.	5 ft.	4ft.6in.	5 ft.
Size of Sink		22 x 42	24 x 30	24 x 36	24 x 48
Price without Brass Rim		\$20.25	\$16.75	\$18.75	\$22.75
Price with Brass Rim		26.00	22.25	24.75	29.75
Total Length		5 ft.6 in.	4 ft.6 in.	5 ft.	6 ft.
			1		

Prices as above for Slate and Slate with Brass Rim only.

For prices of Strainers, Wastes, Brackets, Legs and Soap Cups, see pages 52, 53, 78, 80 and 81.

We do not furnish Faucets.

Faucet holes will be drilled in Backs on all Sinks with High Backs sent out unless otherwise ordered.

All measurements are outside. Thickness of Slate used in construction, 11/4 inches.

In ordering give size and location of Waste.

#### B-121

D-141					
Size of Sink	18 x 24	20 x 30	20 x 36		
Price without Brass Rim	\$19.75	\$21.25	\$22.75		
Price with Brass Rim	24.75	26.50	28.75		
Total Length	5 ft.	5 ft. 6 in.	6 ft.		
Size of Sink	22 X 30	22 x 36	22 X 42		
Price without Brass Rim	\$21.75	\$23.75	\$25.75		
Price with Brass Rim	27.25	29.75	31.75		
Total Length	5 ft. 6 in.	6 ft.	6 ft. 6 in.		
Size of Sink	24 x 30	24 x 36	24 x 48		
Price without Brass Rim	\$22.25	\$24.25	\$28.25		
Price with Brass Rim	28.00	30.50	35.50		
Total Length	5 ft. 6 in.	6 ft.	7 ft.		
20000	3	0 10.	, 10.		

Prices as above for Slate and Slate with Brass Rim only.

For prices of Strainers, Wastes, Brackets, Legs and Soap Cups, see pages 52, 53, 78, 80 and 81.

We do not furnish Faucets.

Faucet holes will be drilled in Backs on all Sinks with High Backs sent out unless otherwise ordered.

All measurements are outside. Thickness of Slate used in construction, 1 1/4 inches.

In ordering give size and location of Waste.

Page Seventy-five

### Genuine Bangor Slate Sinks

Height of Back and End, 16 inches; Depth of Sink, 8 inches; Length of Drain Boards, 18 inches each



### Genuine Bangor Slate Recess Sink with Drain Board each End

Height of Back and Ends, 16 inches; Depth of Sink, 8 inches; Length of Drain Boards, 18 inches each





	-	7			
Size of Sink	18 x 24	20 x 30	20 x 36	22 X 30	22 x 36
Price without Brass Rim	\$21.00	\$22.50	\$24.00	\$23.00	\$25.00
Price with Brass Rim	25.50	27.00	29.00	28.00	30.50
Total Length.	5 ft.	5 ft. 6 in.	6 ft.	5 ft. 6 in.	6 ft.
Size of Sink		22 x 42	24 x 30	24 x 36	24 x 48
Price without B	rass Rim	\$27.00	\$23.50	\$25.50	\$29.50
Price with Brass	Rim	32.50	28.75	31.25	36.00
Total Length		6 ft. 6 in.	5 ft. 6 in.	6 ft.	7 ft.

Prices as above for Slate and Slate with Brass Rim only.

For prices of Strainers, Wastes, Brackets, Legs and Soap Cups, see pages 52, 53, 78, 80 and 81.

We do not furnish Faucets.

Faucet holes will be drilled in Backs on all Sinks with High Backs sent out unless otherwise ordered.

All measurements are outside. Thickness of all Slate used in construction, 11/4 inches.

In ordering give size and location of Waste.

Page Seventy-Six

### Genuine Bangor Slate Sink Tops

With Grooved or Countersunk Drain Boards and 16-inch High Back, for Porcelain, Enameled or Galvanized Iron Sink

B-123							
						Board of Top	18

ize of Sink	Total Length	Price
18 x 30	5 feet 6 inches	\$11.00
20 X 30	5 feet 6 inches	12.00
20 x 36	6 feet	12.75
20 X 40	6 feet 4 inches	13.25
22 X 42	6 feet 6 inches	14.00

# B-124 With Countersunk and Grooved Drain Board 18 inches long on each end

	of Top	men ena
Size of Sink	Total Length	Price
18 x 30	5 feet 6 inches	\$12.00
20 X 30	5 feet 6 inches	13.00
20 x 36	6 feet	13.75
20 X 40	6 feet 4 inches	14.25
22 X 42	6 feet 6 inches	15.00





With Countersunk and Grooved Drain Board 24 inches long on one end of Top

	Green Brain Board 21 menes 10	ing ou one end of
Size of Sink	Total Length	Price
18 x 30	4 feet 6 inches	\$ 0.00
20 x 30	4 feet 6 inches	9.50
20 x 36	5 feet	10.50
20 x 40	5 feet 4 inches	11.25
22 X 42	5 feet 6 inches	12.00

Thickness of Slate, 1¼ inches Top, 1 inch Back. No holes will be drilled in Backs for Faucets unless so specified when ordering Can be made with one or both high ends, if desired.





Page Seventy-seven



### Trimmings for Laundry Tubs

B-126

Cast Iron Laundry Tub Leg

Galvanized, each......\$1.20 Painted, each.....\$..76

B-127

Laundry Top Plug with Lock Nut and Coupling

Polished Brass 11/4-inch by 31/4 inch, each ......\$1.20



### Soap Cups for Laundry Tubs and Sinks




B-128 Center Price Galvanized Iron, each..



B-129 Right Hand
Price, Enameled Iron, each......\$1.00

B-130 Left Hand
Price, Polished Brass, each.....\$2.00



# Continuous Wastes for Laundry Tubs B-131

	2-Part	3-Part	4-Part
Rough Brass with Plugs, each	\$ 8.00	\$10.50	\$13.00
Finished Brass with Plugs, each.	11.00	13.50	16.00
Nickel Plated with Plugs, each	13.00	15.50	18.00

# Continuous Wastes for Laundry Tubs

-1	

B-132				- 780
Size 11/2 inches with 2-inch Tray.	Vent to Wall			
Two-Part	Three-Part Part		-	
Rough Brass with Plugs, each \$17.50 Finished Brass with Plugs, each 23.00 Nickel Plated with Plugs, each 27.50	\$19.75 \$23.50 25.50 29.00 30.00 34.50		B 132.	
B-133	0 010			
Continuous Brass Waste for Combination Laundry Tub and Sink, with Brass Grease Trap and Vent to Wall  Size of Continuous Waste, 1½ inches For Two Laundry Tubs and One Sink  Polished Brass, each		B-133		B-134
Polished Brass, each				Size 1½ inches with Trap and Vent to Wall
4		Jin .		Two- Three- Four-



Three- Four-Part Part Part

Rough Brass with Plugs, each \$15.00 \$18.50 \$21.50 Finished Brass with Plugs, each 18.50 21.50 25.00 Nickel Plated with Plugs, each - 21.00 24.00 28.00

## Trimmings for Sinks




#### B-135—Cast Iron Extension Sink Leg

Galvanized, each.			,					٠		.\$1.90
Painted, each		٠								. I.40

#### B-136—Iron Strap Sink Leg

Galvanized, each	\$1.80
Painted, each	1.30





#### B-137—Heavy Brass Leg with Iron Brace to Wall

Nickel Plated, each ......\$6.50

#### B-138-Iron Sink Brackets

Galvanized, each .....\$.80
Painted, each .....60

Page Eighty

### Trimmings for Sinks







#### B-139—Cast Brass Bell Trap with Strainer for Sink

#### B-140—Sink Strainer with Locknut and Coupling Polished Brass

#### B-141—Sink Waste with Detachable Strainer

### B-142—Cast Brass Sink Plug with Metal Stopper

#### B-143—Cast Brass Sink Plug for Iron Pipe with Metal Stopper

#### B-144—Convex Sink Strainer

Size, 2¾ inches Diameter, Polished Brass, each..\$ .30


Page Eighty-one







## Genuine Bangor Slate Blackboards






Section showing most modern method of erecting natural slate blackboards.

Genuine Bangor Slate Blackboards are unsurpassed in the schoolroom for cleanliness, durability, smooth writing surface and uniform lasting black color. Our blackboards are to be found in hundreds of schools and colleges in the United States and Canada; Architects and Educators all agree that natural slate blackboards are unsurpassed in the schoolroom and far superior to wooden or composition blackboards. Slate will not crack, warp or disintegrate, and will outlast the building. We furnish them to fill any space.

Standard sizes, 3 feet, 3 feet 6 inches and 4 feet wide, average thickness 3/8 inch, carried in stock in large quantities. Special width boards made to order when requested.

# Model for Modern Sanitary Kitchen



Modern Sanitary Kitchen with Slate Sink and Drain Board, 3-part Laundry Tray, Kitchen Table Top and Wainscoting. The qualities of durability and non-absorption make slate so desirable and serviceable in the household for kitchen sinks, laundry trays and wainscoting that it is greatly desired by housewives. No of water.

All impurities lodged on slate are quickly and easily washed away by the simple application

Page Eighty-three

# Index

	Page	Page	Page
		_	Soap Cups
	A	L	Galvanized78
Angles		Y 1 7 1	Enameled
	48. 49	Laundry Tubs 54, 55, 56, 57, 58, 59, 60, 61	Brass
Apron Holders	52	And Sink combined	Standards
Brass		Fittings 78, 79	Top, brass N. P
		Lavatories	Stirrups, brass N. P
	B	Legs	Stop-Cocks, Loose-key51
	D	Laundry Tub78	Strainers Brass Sink
Barber Stands	31, 32	Sink	Brass Urinal
Bath Room Stalls		Stall, brass N. P	brass Offinat
Blackboards		Otali, blass 14. 2	
Bolts and Nuts, brass	849	n	
Brackets		P	T
Lavatory		Pipe, brass Perforated Flush51	
Sink			Tanks
		Railing50 Plugs, brass	Tips, brass N. P
	C	Laundry Tub with Coupling78	Traps
	G	Laundry 1 ub with Coupling	Lavatory52
C I N D	50		Troughs
		R	Tubs, Laundrysee Laundry
Closet Stalls	40, 49		Tubs, Laundrysee Laundry
Single Pange	34	Radiator Tops33	
Single Range Ve	ntilated35	Railing or Tubing, brass N. P50	
Double Range V	entilated36	Rods, threaded Brass49	U
And Urinal com	bined30	•	Urinal Stalls
Brass Fittings	47, 48, 49	S	Bowl
Counter Tops		Shower Bath Stalls	Corner
Cups. Soan		Double Range37	Flush
Galvanized		Single Range39	Trough
Enameled		And Needle41	Ventilated
Brass		Needle and Shampoo40	And Slop Sink combined
		With Dressing Room38	Brass Fittings
	F	Accessories	Gutters
	r	Brass Fittings47, 48, 49, 50	Gutters
Floor Slabs	33	Sinks Apron	
Flush Pines	see Pipe	Apron	
Tidon Tipeo	•	Kitchen, brass bound69, 70, 71, 72, 73, 74, 75	V
		And Laundry Tub combined62, 63, 64, 65 66	
	G	Recess	Vats
Gutters		Slop and Urinal combined29	
Enameled Iron.	50	Tops	
Galvanized Iron	1	Accessories	W
		Apron Holder52	
Miss	K	Brackets80	Wainscoting, plain or marbleized
Kitchen		Legs 52, 80	Wastes
Model		Soap Cups	Continuous 78, 79
Sinks	see Sink	Strainers81	Strainer







